

# iAG200/400

1.

iAG200/iAG400/2/4ATAIPVoIPVoIPIPOpenVoxIPATA


2.



1 × iAG200/400



1 × 12V/2A 电源适配器




1 × 1米百兆网线



1 × 合格证

## 3.iAG200/400




1:

2:

3:

4:



1 :

2 :

3 :

## 4.iAG200/400

iAG200/400iAG200/400

1.RJ11

2.iAG200/400LAN

3.iAG200/400

4.LED

## 5.iAG200/400

iAG200/400PCWebWeb GUIVR

### 5.1IP

iAG200/iAG400DHCPiAG200/iAG400IPIP

- 1.
2. \*\* 2IP IP

### 5.2Web

#### 5.2.1LAN1

iAG200/iAG400 LAN1

1. AC/DCiAG200/iAG400
2. Web
3. iAG200/iAG400IP
4. Web(admin)

iAG200/iAG400iAG200/iAG400

#### 5.2.2LAN2

iAG200/iAG400LAN2

1. AC/DCiAG200/iAG400
- 2.
3. LAN2 IP16.99.1
4. Web(admin)

172.16.99.XXX IP iAG200/iAG400Web GUI

## 5.3IVR

- 1.
  2. “\*3\*” IVR IP
  3. DHCP or IP IP
- “\*3\*” IVR IP
  - 2 IP168.1.11
  - IP19216800101100
  - 255255255000
  - 0
  - “\*3\*” IP

IPiAG200/iAG400LAN2LAN1 IPWeb GUI GWM801/GWM820 IPLAN1